ELSEVIER

Journal of Organometallic Chemistry 519 (1996) 289

Journal of Organometallic Chemistry

Author Index of Volume 519

Ahlgrén, M., 205
Ali, H.M., 273
Anderson, J.C., 103

Balssa, F., 281
Barros, F.J.G., 209
Behrens, U., 115
Brauer, D.J., 7
Brocard, J., 87
Bruce, M.I., 221
Brüdgam, I., 217
Brussaard, Y., 115
Burini, A., 161
Burth, D., 269

Caruso, F., 29
Casas, J.S., 209
Castellano, E.E., 209
Cetini, G., 169
Chien, J.C.W., 21

Davies, E.S., 261
De Felice, V., 75
Denisovich, L.I., 1
Dimitrov, V., 69, 83
Dromzee, Y., 281

Eberle, U., 137
Edwards, A.J., 243
Enders, D., 147
Eujen, R., 7

Ferrara, M.L., 75
Fey, P., 147
Frank, U., 147

Gagliardini, V., 281
Galassi, R., 161
Goetgheluck, S., 87
González, A.S., 209
Grzegorzewski, A., 217

Hall, C.D., 185
Hanaï, N., 125
Härkönen, A.U., 205
Herberhold, M., 223
Hoge, B., 7
Hughes, D.L., 273
Humphrey, M.G., 229
Hwang-Park, H.-S., 107

Ibrahim, S.K., 273

Jandeleit, B., 147
Jin, G.-X., 223

Kerr, W.J., 93
Kerton, F.M., 177
Kirk, G.G., 93
Klein, R., 195
Kooijman, H., 195
Kreidlin, A.Z., 1
Kudinov, A.R., 1
Kukharenko, S.V., 1

Lamiot, J., 87
Lang, H., 137
Lehmkuhl, H., 69, 83
Leise, M., 137
Leonesi, D., 29
Liable-Sands, L.M., 223
Liu, Y.H., 237
Lohray, B.B., 147
Low, P.J., 221

Mach, K., 195
Mack, S.R., 243
Mao, X.A., 237
Marchetti, F., 29
Mays, M.J., 243
McDonagh, A.M., 229
Mesnard, D., 125
Middlemiss, D., 93
Miginiac, L., 125
Mitchell, T.N., 45
Mo, C.-Y., 243
Mohmand, G.F., 177

Neumann, W.P., 45
Niestroj, M., 45

Olbrich, F., 115
Operti, L., 169
Orabona, I., 75

Pakkanen, T.A., 205
Peterleitner, M.G., 1
Pettinari, C., 29
Pickett, C.J., 273
Pietroni, B.R., 161
Plenio, H., 269
Polášek, M., 195
Pursiainen, J., 205

Rabezzana, R., 169
Rafaiani, G., 161
Raithby, P.R., 243
Rausch, M.D., 21
Ready, T.E., 21
Renard, C., 253
Rennie, M.-A., 243
Rheingold, A.L., 223
Rivarola, E., 29
Rose, E., 253, 281
Rose-Munch, F., 253, 281
Rossi, M., 29
Ruffo, F., 75
Rybinskaya, M.I., 1
Rytter, E., 277

Sánchez, A., 209
Skelton, B.W., 229
Sordo, J., 209
Spek, A.L., 195
Støvneng, J.A., 277
Strelets, V.V., 1
Susanne, C., 253, 281

Tamm, M., 217
Taylor, B.F., 103
Tersteegen, A., 177
Thiel, M., 177
Tomov, V., 29
Truong, T.-K.-U., 185

Vaglio, G.A., 169
Vaisserman, J., 253
Varga, V., 195
Viney, C., 103
Volpe, P., 169

Went, M.J., 177
White, A.H., 229
Whiteley, M.W., 261
Whittall, I.R., 229
Wiberg, N., 107
Wilson, G.J., 103
Witte, P.T., 195
Wu, Y.J., 237

Yuan, H.Z., 237

Zsolnai, L., 137
Zukerman-Schpector, J., 209

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 519 (1996) 291–297

Journal of Organometallic Chemistry

Subject Index of Volume 519

Acetonitrile
Expeditious synthesis of $Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)$ (M.I. Bruce and P.J. Low), 221
Acetylide
Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-$[Ru(C{\equiv}CC_6H_4R\text{-}4)Cl(dppm)_2]$ (R = H, NO_2, $C_6H_4NO_2$-4, $CH{=}CHC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-$[Ru(C{\equiv}CC_6H_4C_6H_4NO_2\text{-}4,4')Cl(dppm)_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229
Agostic interactions
Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277
Alkene
Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
Alkenes
Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Niestroj, W.P. Neumann and T.N. Mitchell), 45
Alkyl
η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
Alkyl complexes
Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
Alkyne
η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*.-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115
Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93
Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103
η^2-Alkyne complexes
η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
Alkynes
Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
Alkynyl
Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-$[Ru(C{\equiv}CC_6H_4R\text{-}4)Cl(dppm)_2]$ (R = H, NO_2, $C_6H_4NO_2$-4, $CH{=}CHC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-$[Ru(C{\equiv}CC_6H_4C_6H_4NO_2\text{-}4,4')Cl(dppm)_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229
Allyl
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
Allylic substitution
Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
η^3-Allyl-1-norbornyl complexes
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
η^3-Allylpalladium complex
Structural and NMR spectroscopic characterization of ferrocene-containing η^3-allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237
Amine *N*-oxide
Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93
Aminocyclopentadiene
Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5-cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269
η^6-Arene, η^5-Cyclohexadienyl-tricarbonylmanganese complexes
Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity (V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee), 281
Asymmetric synthesis
Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Benzylic carbanions
Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6-1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O

Elsevier Science S.A.

NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87

η'-Bonded

Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75

Bridging ligand

Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6\text{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261

Bulky ligands

Auf dem Weg zu einem stabilen Germaethen $>Ge{=}C<$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107

tert-Butoxide complexes

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*.-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115

Cadmium

NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7

Carbonyl

A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243

Expeditious synthesis of $Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)$ (M.I. Bruce and P.J. Low), 221

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93

Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103

Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205

Cationic complexes

Syntheses, molecular structure and reactivity of $(\eta^6$-toluene)$Mn(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253

Chalcogenide complexes

The first CpOs half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

Chirality

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93

Chirality transfer

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Cluster

Expeditious synthesis of $Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)$ (M.I. Bruce and P.J. Low), 221

Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205

Cobalt

A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93

Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103

Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177

Cobalt–cobalt double bond

Synthese und Reaktionsverhalten von $(R)(\eta^1\text{-}C_5Me_5)P{=}Co(CO)_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137

Cobalt complexes

Synthese und Reaktionsverhalten von $(R)(\eta^1\text{-}C_5Me_5)P{=}Co(CO)_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137

Conjugated carbonyl derivatives

Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α-éthyléniques α-triméthylsilylés (D. Mesnard, N. Hanaï et L. Miginiac), 125

Copper

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*.-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115

NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7

Cryptand

The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185

Crystal structure

A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-$[W(CN)(NNCHOCH_2CH_2CH_2)(dppe)_2]$ (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273

Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*.-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115

Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-$[Ru(C{\equiv}CC_6H_4R\text{-}4)Cl(dppm)_2]$ (R = H, NO_2, $C_6H_4NO_2$-4, $CH{=}CHC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-$[Ru(C{\equiv}CC_6H_4C_6H_4NO_2\text{-}4,4')Cl(dppm)_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229

Structural and NMR spectroscopic characterization of ferrocene-containing η^3-allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237

Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205

The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

Cycloheptatrienyl

Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261

η^5-Cyclohexadienyl

Syntheses, molecular structure and reactivity of $(\eta^6$-toluene)$Mn(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253

Cyclopentadienyl

η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69

Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5-cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269

Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1

η^5-Cyclopentadienylnickel-1-norbornyl

η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69

Density-functional theory

Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277

Diazenides

A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-$[W(CN)(NN\overline{CHOCH_2CH_2CH_2})(dppe)_2]$ (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273

Diels-Alder reaction

Auf dem Weg zu einem stabilen Germaethen $\rangle Ge{=}C\langle$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107

Difluoromethyl

NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7

Dinitrogen complexes

A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-$[W(CN)(NN\overline{CHOCH_2CH_2CH_2})(dppe)_2]$ (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273

Dinuclear complexes

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161

Electrochemistry

Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1

Electron spin resonance

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polášek, V. Varga and K. Mach), 195

Electron transfer

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polášek, V. Varga and K. Mach), 195

Electrophilic destannylation

Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Niestroj, W.P. Neumann and T.N. Mitchell), 45

Ene reaction

Auf dem Weg zu einem stabilen Germaethen $\rangle Ge{=}C\langle$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107

Ferrocene

Structural and NMR spectroscopic characterization of ferrocene-containing η^3-allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237

The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185

Five-coordination

Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75

Fluorine

NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7

Gas-phase

Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169

Gold

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161

Heterocycles complexes

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161

Heterometallic cluster

Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205

Indenyl

Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1

Indenyl complexes

Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21

IR
Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^{1}H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
Iridium
Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205
Iron
A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261
Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185

Kinetics
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169

Ligand substitutions
Syntheses, molecular structure and reactivity of (η^6-toluene)Mn-$(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
Lithium
Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21

Macrocycle
The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
Macrocycles
Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
Manganese
Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217
Syntheses, molecular structure and reactivity of (η^6-toluene)Mn-$(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
Mass spectrometry
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
Mechanism
Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6-1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87
Methylsilane
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
Molybdenum
Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261

Nickel
η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
NMR
NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7
Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^{1}H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
Non-linear Optics
Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217
Non-linear optics
Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-$[Ru(C{\equiv}CC_6H_4R\text{-}4)Cl(dppm)_2]$ (R = H, NO_2, $C_6H_4NO_2$-4, $CH{=}CHC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-$[Ru(C{\equiv}CC_6H_4C_6H_4NO_2\text{-}4,4')Cl(dppm)_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229
Nuclear magnetic resonance (NMR)
η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
Nucleophilic addition
Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity (V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee), 281
Syntheses, molecular structure and reactivity of (η^6-toluene)Mn-$(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253

Olefin complexes
Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
Olefin polymerization
Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277

^{17}O NMR
Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6-1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87
Osmium
Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1
The first Cp* Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
6-Oxoenoates
Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Palladium
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
Structural and NMR spectroscopic characterization of ferrocene-containing η^3-allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237
Pentamethylcyclopentadienyl half-sandwich compounds
The first Cp* Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
Phenanthroline
The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
Phenyltin chlorides complexes
Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209
Phosphine
A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93
Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103
Phosphine complexes
Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161
Phosphorus–cobalt double bond
Synthese und Reaktionsverhalten von (R)(η^1-C_5Me_5)P=Co(CO)$_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137
Photochemistry
Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103
Planar chirality
Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
Platinum
Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
^{31}P NMR spectroscopy
Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161
Polymerization
Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21
Preparation
Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
Pyrazole complexes
Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209
Pyrazolonato complexes
Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^{1}H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29

Quadratic hyperpolarizabilities
Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-[Ru(C≡CC_6H_4R-4)Cl(dppm)$_2$] (R = H, NO_2, $C_6H_4NO_2$-4, CH=C$HC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-[Ru(C≡C$C_6H_4C_6H_4NO_2$-4,4′)Cl(dppm)$_2$] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229

Reaction mechanisms
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
Redox activity
The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
Regioselective synthesis
Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α-éthyléniques α-triméthylsilylés (D. Mesnard, N. Hanaï et L. Miginiac), 125
Regioselectivity
Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity (V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee), 281

Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6-1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87

Rhenium

Expeditious synthesis of $Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)$ (M.I. Bruce and P.J. Low), 221

Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6\text{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261

Ruthenium

Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-$[Ru(C{\equiv}CC_6H_4R\text{-}4)Cl(dppm)_2]$ (R = H, NO_2, $C_6H_4NO_2$-4, $CH{=}CHC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-$[Ru(C{\equiv}CC_6H_4C_6H_4NO_2\text{-}4,4')Cl(dppm)_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229

Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1

Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6\text{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261

Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205

Selenium

The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

Sesquifulvalenes

Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217

Silaethane

Auf dem Weg zu einem stabilen Germaethen $\rangle Ge{=}C\langle$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107

Silicon

A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-$[W(CN)(NNCHOCH_2CH_2CH_2)(dppe)_2]$ (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273

Auf dem Weg zu einem stabilen Germaethen $\rangle Ge{=}C\langle$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107

Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Niestroj, W.P. Neumann and T.N. Mitchell), 45

Silylated enol ethers

Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α-éthyléniques α-triméthylsilylés (D. Mesnard, N. Hanaï et L. Miginiac), 125

^{119}Sn Mössbauer spectra

Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29

^{119}Sn NMR spectroscopy

Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209

Styrene

Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21

Sulfur

A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243

The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

Synthesis

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161

Tellurium

The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

Tetracarbonyl(η^3-allyl)iron(1 +) complex

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Tetrafluoroborate complexes

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert.*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115

Thiocycloalkynes

Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177

Thioethers

Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177

Tin

Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209

Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Niestroj, W.P. Neumann and T.N. Mitchell), 45

Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-

phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29

Titanium

Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polášek, V. Varga and K. Mach), 195

Titanocene-2,2′-bipyridine

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polášek, V. Varga and K. Mach), 195

Titanocene-bis(trimethylsilyl)acetylene

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polášek, V. Varga and K. Mach), 195

Titanocene-(4,5-diazafluorenyl)

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooij

Tricarbonylchromium

Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6-1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87

Trifluoromethanesulphonate

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*.-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115

Tungsten

A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-[W(CN)(NNC$\overline{HOCH_2CH_2CH_2}$)(dppe)$_2$] (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273

a^4-Umpolung

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Vibrational spectroscopy

Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209

Vinyl silanes

Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α-éthyléniques α-triméthylsilylés (D. Mesnard, N. Hanaï et L. Miginiac), 125

X-ray crystal structure

Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5-cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269

X-ray structure

Auf dem Weg zu einem stabilen Germaethen $\rangle Ge{=}C\langle$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107

Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209

Syntheses, molecular structure and reactivity of (η^6-toluene)Mn-$(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253

Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29

X-ray structure analysis

Synthese und Reaktionsverhalten von (R)(η^1-C_5Me_5)P=Co(CO)$_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137

Zirconium

Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5-cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269

Zirconocenes

Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5-cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269

Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277

Book Reviews

Comprehensive Organometallic Chemistry II., E.W. Abel, F.G.A. Stone and G. Wilkinson (eds.), (C. Eaborn), 285

Organic Reactions, Simplicity and Logic, Pierre Laszlo, (J.R. Hanson), 287